

# EAST Search History

Ref #	Hits	Search Query	Dbs	Default Operator	Plurals	Time Stamp
S1	72	(database or (data adj warehouse)) (fuzzy near3 (logic or match)) ((clean or validate or match) near3 (tuple or record))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/12/01 10:57
S2	1922	(database or (data adj warehouse)) ((clean or validate or match) near3 (tuple or record))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/29 09:47
S3	60	(database or (data adj warehouse)) ((clean or validate or match) near3 (tuple or record)) (sub adj string) or sub-string or token) near3 (match or compare))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/29 09:49
S4	24	(database or (data adj warehouse)) ((clean or validate or match) near3 (tuple or record)) ((substring or (sub adj string) or sub-string or token) near3 (match or compare)) (fuzzy near3 (logic or match))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	AND	OFF	2005/11/29 09:49
S5	2	("6961721").PN. (fuzzy near3 (logic or match))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/01 10:57
S6	2	("7051277").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/04/26 09:18


[Web](#) [Images](#) [Video](#) [News](#) [Maps](#) [more »](#)


[Advanced Scholar Search](#)  
[Scholar Preferences](#)  
[Scholar Help](#)

**Scholar** [All articles](#) [Recent articles](#) Results 1 - 10 of about 29 for **"token count" weighting document similarity**. (0.18 sec)

## All Results

[L Gravano](#)
[M Rorvig](#)
[P Ipeirotis](#)
[N Koudas](#)
[D Srivastava](#)

### Text joins in an RDBMS for web data integration - group of 19 »

L Gravano, PG Ipeirotis, N Koudas, D Srivastava - Proceedings of the twelfth international conference on World ..., 2003 - portal.acm.org

... retrieval field to define the textual **similarity** between t ... of all terms and v t is a **document weight** vector ... of the well-established tf.idf **weighting** scheme from ...

[Cited by 34](#) - [Related Articles](#) - [Web Search](#)

### Automated assistant for organizing electronic documents - group of 3 »

JO Kephart, RB Segal, SR White - US Patent 7,051,277, 2006 - Google Patents

... describe several **weighting** schemes and their implementations. A document is classified by computing the **similarity** between the **document** token frequencies and ...

[Related Articles](#) - [Web Search](#)

### Method for automatically producing optimal summaries of linear media - group of 3 »

JT Foote, J Boreczky - US Patent 7,068,723, 2006 - Google Patents

... Vectors from Tokenized Text Windows **Token Count** Windows Potato (1 ... similarity measurement uses Term- Frequency/Inverse **Document** Frequency (TF/IDF) **weight** - ...

[Related Articles](#) - [Web Search](#)

### Images of similarity: A visual exploration of optimal **similarity** metrics and scaling properties of ... - group of 7 »

M Rorvig - Journal of the American Society for Information Science, 1999 - doi.wiley.com

... two **documents** are reduced to the **token count** for corresponding ... An IDF **weight** might alter the shape of the ... 2. TREC topic-document dataset 1 by five **similarity** ...

[Cited by 31](#) - [Related Articles](#) - [Web Search](#) - [BL Direct](#)

### A review of Web link analysis

NG Freier - staff.washington.edu

... measurement of index term (or **token count**) distributions whether ... is the measure of hub characteristics for the **document**. The other **weight** is the measure of the ...

[Related Articles](#) - [View as HTML](#) - [Web Search](#)

### Parallel corpora for medium density languages - group of 2 »

D Varga, P Halacsy, A Kornai, MC Inc, V Nagy, L ... - Proceedings of Recent Advances in Natural Language ..., 2005 - kornai.com

... of raw text consisting of assumed parallel **documents**. ... sentences, normalized with the larger **token count** of the ... The relative **weight** of the two components was ...

[Cited by 2](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

### Adapting information extraction knowledge for unseen web sites - group of 3 »

TL Wong, W Lam - Proceedings of the 2002 IEEE International Conference on ..., 2002 - doi.ieeecomputersociety.org

... classes appeared in the following frag- ment of a HTML **document**: No wSell : \$ < B ... are: 1. length: number of characters in the content 2. **token count**: number of ...

[Cited by 2](#) - [Related Articles](#) - [Web Search](#)

### SMS Short Form Identification and Codec - group of 2 »

LM Fung - wing.comp.nus.edu.sg

... 19 4.4 Lexical **Similarity** Measurement ... available by **weighting** the various qualities

of x. Page 15. 9 ... **Count(b)** refers to the number of occurrence of bigram b. and ...  
[Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Experimenting to Produce a Software Tool for Authorship Attribution - group of 2 »](#)

M Cook - Undergraduate Dissertation, 2003 - [dcs.shef.ac.uk](#)

... 5.1.1: Results broken down by **document** length ... showed that there was a close **similarity** between all ... The **weighted** cusum technique, developed by Hilton and Holmes ...


[Cited by 2](#) - [Related Articles](#) - [View as HTML](#) - [Web Search](#)

[Constraint-based Ontology Induction from Online Customer Reviews](#)

T Lee - Group Decision and Negotiation, 2007 - Springer

... the hyponym relationship), mutual exclusivity (disjoint subclasses), and **similarity**. ... vector space model for clustering **documents** (Salton and ... i ) as a **weighting** ...

[Related Articles](#) - [Web Search](#)

Google 

Result Page:    1   2   3    **Next**

[Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2007 Google